



# Material Safety Data Sheet

Document Code: SR-AllPurpose/WL  
Version: 02

Date of Preparation  
July 24, 2002

## Section 1 - Product and Company Identification

PRODUCT NAME, NUMBERS, & COLORS  
SILICONE RUBBER All Purpose Sealant  
WL09010 WL09023 Clear  
WL09210 WL09213 White  
WL09310 Aluminum  
WL09410 Black  
WL09510 Bronze

HMIS CODES  
Health 2  
Flammability 0  
Reactivity 0

MANUFACTURER'S NAME  
THE SHERWIN-WILLIAMS COMPANY  
101 Prospect Avenue N.W.  
Cleveland, OH 44115

EMERGENCY TELEPHONE NO.  
(216) 566-2917  
INFORMATION TELEPHONE NO.  
(216) 566-2902

## Section 2 - Composition/Information on Ingredients

% WT.	CAS No.	Ingredient Name
2	17689-77-9	<b>Ethyl Triacetoxysilane</b> ACGIH TLV Not Established OSHA PEL Not Established
2	4253-34-3	<b>Methyl Triacetoxysilane</b> ACGIH TLV Not Established OSHA PEL Not Established
10	7631-86-9	<b>Amorphous Silica.</b> ACGIH TLV TWA 10 mg/m3 as Dust OSHA PEL TWA 6 mg/m3 as Dust
<5	13463-67-7	<b>Titanium Dioxide</b> [in White only] ACGIH TLV TWA 10 mg/m3 as Dust OSHA PEL TWA 10 mg/m3 as Total Dust OSHA PEL TWA 5 mg/m3 as Respirable Fraction
<2	1333-86-4	<b>Carbon Black</b> ACGIH TLV TWA 3.5 mg/m3 OSHA PEL TWA 3.5 mg/m3

NOTE: These products may evolve trace quantities of Acetic Acid during curing.  
Exposure limits for Acetic Acid are:

max. 1	64-19-7	<b>Acetic Acid</b>
		ACGIH TLV TWA 10 ppm
		ACGIH TLV STEL 15 ppm
		OSHA PEL TWA 10 ppm

## Section 3 - Hazards Identification

### ROUTES OF EXPOSURE

Exposure may be by INHALATION and/or SKIN or EYE contact, depending on conditions of use. To minimize exposure, follow recommendations for proper use, ventilation, and personal protective equipment.

### EFFECTS OF OVEREXPOSURE

Irritation of eyes, skin and upper respiratory system. In a confined area vapors in high concentration may cause headache, nausea or dizziness.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

Redness and itching or burning sensation may indicate eye or excessive skin exposure.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE**

May cause allergic skin reaction or sensitization in susceptible persons.

**CANCER INFORMATION**

FOR COMPLETE DISCUSSION OF TOXICOLOGY DATA REFER TO SECTION 11.

**Section 4 – First Aid Measures**

- If **INHALED**: If affected, remove from exposure. Restore breathing. Keep warm and quiet.
- If on **SKIN**: Wash affected area thoroughly with soap and water. Remove contaminated clothing and launder before re-use.
- If in **EYES**: Flush eyes with large amounts of water for 15 minutes. Get medical attention.
- If **SWALLOWED**: Get medical attention.

**Section 5 – Fire Fighting Measures**

<b>FLASH POINT</b>	<b>LEL</b>	<b>UEL</b>
>200 °F	N.Ap.	N.Ap.

**FLAMMABILITY CLASSIFICATION**

Not Applicable

**EXTINGUISHING MEDIA**

Carbon Dioxide, Dry Chemical

**UNUSUAL FIRE AND EXPLOSION HAZARDS**

None known.

**SPECIAL FIRE FIGHTING PROCEDURES**

Full protective equipment including self-contained breathing apparatus should be used. Water spray may be ineffective. If water is used, fog nozzles are preferable. Water may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat.

**Section 6 – Accidental Release Measures****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Remove all sources of ignition. Ventilate and remove with inert absorbent.

**Section 7 – Handling and Storage****DOL STORAGE CATEGORY**

Not Applicable

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE**

Keep container closed when not in use. Store product away from water or moisture. Do not transfer to other containers. Do not take internally. Keep out of the reach of children.

**Section 8 – Exposure Controls/Personal Protection****PRECAUTIONS TO BE TAKEN IN USE**

Use only with adequate ventilation. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Wash hands after using.

These products may contain materials classified as nuisance particulates (listed "as Dust" in Section 2) which may be present at hazardous levels only during sanding or abrading of the dried film. If no specific dusts are listed in Section 2, the applicable limits for nuisance dusts are ACGIH TLV 10 mg/m<sup>3</sup> (total dust), 3 mg/m<sup>3</sup> (respirable fraction), OSHA PEL 15 mg/m<sup>3</sup> (total dust), 5 mg/m<sup>3</sup> (respirable fraction).

**VENTILATION**

Local exhaust preferable. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, 1910.108.

**RESPIRATORY PROTECTION**

If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH/MSHA for protection against materials in Section 2.

When sanding or abrading the dried film, wear a dust/mist respirator approved by NIOSH/MSHA for dust which may be generated from this product, underlying paint, or the abrasive.

**PROTECTIVE GLOVES**

Wear gloves which are recommended by glove supplier for protection against materials in Section 2.

**EYE PROTECTION**

Wear safety spectacles with unperforated sideshields.

**Section 9 – Physical and Chemical Properties**

PRODUCT WEIGHT	8.6 lb/gal	EVAPORATION RATE	Slower than Ether
SPECIFIC GRAVITY	1.03	VAPOR DENSITY	Heavier than Air
BOILING POINT	N.Ap.	MELTING POINT	N.Av.
VOLATILE VOLUME	<5 %	SOLUBILITY IN WATER	N.Av.

**Section 10 – Stability and Reactivity**

STABILITY Stable

CONDITIONS TO AVOID - None known.

INCOMPATIBILITY - None known.

HAZARDOUS DECOMPOSITION PRODUCTS - By fire: Carbon Dioxide, Carbon Monoxide, Oxides of Nitrogen, Possibility of Hydrogen Chloride

HAZARDOUS POLYMERIZATION - Will not occur

**Section 11 – Toxicological Information****CHRONIC HEALTH HAZARDS**

Carbon Black is classified by IARC as possibly carcinogenic to humans (group 2B) based on experimental animal data, however, there is insufficient evidence in humans for its carcinogenicity.

Rats exposed to titanium dioxide dust at 250 mg./m<sup>3</sup> developed lung cancer, however, such exposure levels are not attainable in the workplace.

**TOXICOLOGY DATA**

CAS No.	Ingredient Name				
17689-77-9	<b>Ethyl Triacetoxysilane</b>	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
4253-34-3	<b>Methyl Triacetoxysilane</b>	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
7631-86-9	<b>Amorphous Silica.</b>	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
13463-67-7	<b>Titanium Dioxide.</b>	LC50	RAT	4HR	Not Available
		LD50	RAT		>7500 mg/kg
1333-86-4	<b>Carbon Black</b>	LC50	RAT	4HR	Not Available
		LD50	RAT		>15400 mg/kg

## TOXICOLOGY DATA (continued)

CAS No.	Ingredient Name			
64-19-7	<b>Acetic Acid</b>			
	LC50	RAT	4HR	Not Available
	LD50	RAT		3310 mg/kg

**Section 12 – Ecological Information**

## ECOTOXICOLOGICAL INFORMATION

No Data Available.

**Section 13 – Disposal Considerations**

## WASTE DISPOSAL METHOD

Waste from these products is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Incinerate in approved facility. Do not incinerate closed container. Dispose of in accordance with Federal, State, and Local regulations regarding pollution.

**Section 14 – Transport Information**

Not Available

**Section 15 – Regulatory Information**

## SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION

No ingredients in these products are subject to SARA 313 (40 CFR 372.65C) Supplier Notification.

## TSCA CERTIFICATION

All chemicals in these products are listed, or are exempt from listing, on the TSCA Inventory.

**Section 16 – Other Information**

*CANADIAN DISTRIBUTOR: Sherwin-Williams Canada  
180 Brunel Rd.  
Mississauga, ON L4Z 1T5*

NOTE: These products have been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

The above information pertains to these products as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to these products may substantially alter the composition and hazards of the products. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.